



**REICHWALD + Co**

# **Lieferprogramm**

**für**

# **Nahtlose dickwandige**

# **Stahlrohre**

DIN 1629 (EN 10216-1 und - 3) und EN 10 209

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
19,00	2,3	0,947
19,00	2,6	1,050
19,00	2,9	1,150
19,00	3,2	1,250
19,00	3,6	1,370
19,00	4,0	1,480
19,00	4,5	1,610
19,00	5,0	1,730
20,00	2,3	1,000
20,00	2,6	1,120
20,00	2,9	1,220
20,00	3,2	1,330
20,00	3,6	1,460
20,00	4,0	1,580
20,00	4,5	1,720
20,00	5,0	1,850
21,30	2,3	1,080
21,30	2,6	1,200
21,30	2,9	1,320
21,30	3,2	1,430
21,30	3,6	1,570
21,30	4,0	1,710
21,30	4,5	1,860
21,30	5,0	2,010
25,00	2,3	1,290
25,00	2,6	1,440
25,00	2,9	1,580
25,00	3,2	1,720
25,00	3,6	1,900
25,00	4,0	2,070
25,00	4,5	2,280
25,00	5,0	2,470
25,00	5,6	2,680
25,00	6,3	2,910
25,00	7,1	3,130
26,90	2,6	1,560
26,90	2,9	1,720
26,90	3,2	1,870
26,90	3,6	2,070
26,90	4,0	2,260
26,90	4,5	2,490
26,90	5,0	2,700
26,90	5,6	2,940
26,90	6,3	3,200
26,90	7,1	3,470
30,00	2,9	1,940
30,00	3,2	2,110
30,00	3,6	2,340

Durchmesser mm	Wanddicke mm	Gewicht kg / m
30,00	7,1	4,010
30,00	8,0	4,340
31,80	2,9	2,070
31,80	3,2	2,260
31,80	3,6	2,500
31,80	4,0	2,740
31,80	4,5	3,030
31,80	5,0	3,300
31,80	5,6	3,620
31,80	6,3	3,960
31,80	7,1	4,320
31,80	8,0	4,700
31,80	8,8	4,990
33,70	2,9	2,200
33,70	3,2	2,410
33,70	3,6	2,670
33,70	4,0	2,930
33,70	4,5	3,240
33,70	5,0	3,540
33,70	5,6	3,880
33,70	6,3	4,260
33,70	7,1	4,660
33,70	8,0	5,070
33,70	8,8	5,400
35,00	2,9	2,300
35,00	3,2	2,510
35,00	3,6	2,790
35,00	4,0	3,060
35,00	4,5	3,380
35,00	5,0	3,700
35,00	5,6	4,060
35,00	6,3	4,460
35,00	7,1	4,890
35,00	8,0	5,330
35,00	8,8	5,690
38,00	2,9	2,510
38,00	3,2	2,750
38,00	3,6	3,050
38,00	4,0	3,350
38,00	4,5	3,720
38,00	5,0	4,070
38,00	5,6	4,470
38,00	6,3	4,930
38,00	7,1	5,410
38,00	8,0	5,920
38,00	8,8	6,340
38,00	10,0	6,910
42,40	2,9	2,820

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
30,00	4,0	2,560
30,00	4,5	2,830
30,00	5,0	3,080
30,00	5,6	3,370
30,00	6,3	3,680
42,40	5,6	5,080
42,40	6,3	5,610
42,40	7,1	6,180
42,40	8,0	6,790
42,40	8,8	7,290
42,40	10,0	7,990
42,40	11,0	8,520
42,40	12,5	9,220
44,50	2,9	2,980
44,50	3,2	3,260
44,50	3,6	3,630
44,50	4,0	4,000
44,50	4,5	4,440
44,50	5,0	4,870
44,50	5,6	5,370
44,50	6,3	5,940
44,50	7,1	6,550
44,50	8,0	7,200
44,50	8,8	7,750
44,50	10,0	8,510
44,50	11,0	9,090
44,50	12,5	9,860
48,30	2,9	3,250
48,30	3,2	3,560
48,30	3,6	3,970
48,30	4,0	4,370
48,30	4,5	4,860
48,30	5,0	5,340
48,30	5,6	5,900
48,30	6,3	6,530
48,30	7,1	7,210
48,30	8,0	7,950
48,30	8,8	8,570
48,30	10,0	9,450
48,30	11,0	10,100
48,30	12,5	11,000
51,00	2,9	3,440
51,00	3,2	3,770
51,00	3,6	4,210
51,00	4,0	4,640
51,00	4,5	5,160
51,00	5,0	5,670
51,00	5,6	6,270

Durchmesser mm	Wanddicke mm	Gewicht kg / m
42,40	3,2	3,090
42,40	3,6	3,440
42,40	4,0	3,790
42,40	4,5	4,210
42,40	5,0	4,610
54,00	3,6	4,470
54,00	4,0	4,930
54,00	4,5	5,490
54,00	5,0	6,040
54,00	5,6	6,680
54,00	6,3	7,410
54,00	7,1	8,210
54,00	8,0	9,080
54,00	8,8	9,810
54,00	10,0	10,900
54,00	11,0	11,700
54,00	12,5	12,800
54,00	14,2	13,900
57,00	3,2	4,250
57,00	3,6	4,740
57,00	4,0	5,230
57,00	4,5	5,830
57,00	5,0	6,410
57,00	5,6	7,100
57,00	6,3	7,880
57,00	7,1	8,740
57,00	8,0	9,670
57,00	8,8	10,500
57,00	10,0	11,600
57,00	11,0	12,500
57,00	12,5	13,700
57,00	14,2	15,000
57,00	16,0	16,200
60,30	3,2	4,510
60,30	3,6	5,030
60,30	4,0	5,550
60,30	4,5	6,190
60,30	5,0	6,820
60,30	5,6	7,550
60,30	6,3	8,390
60,30	7,1	9,320
60,30	8,0	10,300
60,30	8,8	11,200
60,30	10,0	12,400
60,30	11,0	13,400
60,30	12,5	14,700
60,30	14,2	16,100
60,30	16,0	17,500

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
51,00	6,3	6,940
51,00	7,1	7,690
51,00	8,0	8,480
51,00	8,8	9,160
51,00	10,0	10,100
51,00	11,0	10,900
51,00	12,5	11,900
51,00	14,2	12,900
54,00	2,9	3,650
54,00	3,2	4,010
63,50	8,8	11,900
63,50	10,0	13,200
63,50	11,0	14,200
63,50	12,5	15,700
63,50	14,2	17,300
63,50	16,0	18,700
63,50	17,5	19,900
70,00	3,2	5,270
70,00	3,6	5,900
70,00	4,0	6,510
70,00	4,5	7,270
70,00	5,0	8,010
70,00	5,6	8,890
70,00	6,3	9,900
70,00	7,1	11,000
70,00	8,0	12,200
70,00	8,8	13,300
70,00	10,0	14,800
70,00	11,0	16,000
70,00	12,5	17,700
70,00	14,2	19,500
70,00	16,0	21,300
70,00	17,5	22,700
70,00	20,0	24,700
73,00	3,2	5,510
73,00	3,6	6,160
73,00	4,0	6,810
73,00	4,5	7,600
73,00	5,0	8,380
73,00	5,6	9,310
73,00	6,3	10,400
73,00	7,1	11,500
73,00	8,0	12,800
73,00	8,8	13,900
73,00	10,0	15,500
73,00	11,0	16,800
73,00	12,5	18,700
73,00	14,2	20,600

Durchmesser mm	Wanddicke mm	Gewicht kg / m
60,30	17,5	18,500
63,50	3,2	4,760
63,50	3,6	5,320
63,50	4,0	5,870
63,50	4,5	6,550
63,50	5,0	7,210
63,50	5,6	8,000
63,50	6,3	8,890
63,50	7,1	9,880
63,50	8,0	10,900
76,10	12,5	19,600
76,10	14,2	21,700
76,10	16,0	23,700
76,10	17,5	25,300
76,10	20,0	27,700
82,50	3,6	7,000
82,50	4,0	7,740
82,50	4,5	8,660
82,50	5,0	9,560
82,50	5,6	10,600
82,50	6,3	11,800
82,50	7,1	13,200
82,50	8,0	14,700
82,50	8,8	16,000
82,50	10,0	17,900
82,50	11,0	19,400
82,50	12,5	21,600
82,50	14,2	23,900
82,50	16,0	26,200
82,50	17,5	28,100
82,50	20,0	30,800
82,50	22,2	33,000
82,50	25,0	35,500
88,90	3,6	7,570
88,90	4,0	8,380
88,90	4,5	9,370
88,90	5,0	10,300
88,90	5,6	11,500
88,90	6,3	12,800
88,90	7,1	14,300
88,90	8,0	16,000
88,90	8,8	17,400
88,90	10,0	19,500
88,90	11,0	21,100
88,90	12,5	23,600
88,90	14,2	26,200
88,90	16,0	28,800
88,90	17,5	30,800

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
73,00	16,0	22,500
73,00	17,5	24,000
73,00	20,0	26,100
76,10	3,2	5,750
76,10	3,6	6,440
76,10	4,0	7,110
76,10	4,5	7,950
76,10	5,0	8,770
76,10	5,6	9,740
76,10	6,3	10,800
76,10	7,1	12,100
76,10	8,0	13,400
76,10	8,8	14,600
76,10	10,0	16,300
76,10	11,0	17,700
95,00	16,0	31,200
95,00	17,5	33,400
95,00	20,0	37,000
95,00	22,2	39,900
95,00	25,0	43,200
95,00	28,0	46,300
101,60	4,0	9,630
101,60	4,5	10,800
101,60	5,0	11,900
101,60	5,6	13,300
101,60	6,3	14,800
101,60	7,1	16,500
101,60	8,0	18,500
101,60	8,8	20,100
101,60	10,0	22,600
101,60	11,0	24,600
101,60	12,5	27,500
101,60	14,2	30,600
101,60	16,0	33,800
101,60	17,5	36,300
101,60	20,0	40,200
101,60	22,2	43,500
101,60	25,0	47,200
101,60	28,0	50,800
101,60	30,0	53,000
108,00	4,0	10,300
108,00	4,5	11,500
108,00	5,0	12,700
108,00	5,6	14,100
108,00	6,3	15,800
108,00	7,1	17,700
108,00	8,0	19,700
108,00	8,8	21,500

Durchmesser mm	Wanddicke mm	Gewicht kg / m
88,90	20,0	34,000
88,90	22,2	36,500
88,90	25,0	39,400
95,00	4,0	8,980
95,00	4,5	10,000
95,00	5,0	11,100
95,00	5,6	12,300
95,00	6,3	13,800
95,00	7,1	15,400
95,00	8,0	17,200
95,00	8,8	18,700
95,00	10,0	21,000
95,00	11,0	22,800
95,00	12,5	25,400
95,00	14,2	28,300
114,30	10,0	25,700
114,30	11,0	28,000
114,30	12,5	31,400
114,30	14,2	35,100
114,30	16,0	38,800
114,30	17,5	41,800
114,30	20,0	46,500
114,30	22,2	50,400
114,30	25,0	55,100
114,30	28,0	59,600
114,30	30,0	62,400
114,30	32,0	64,900
114,30	36,0	69,500
121,00	4,5	12,900
121,00	5,0	14,300
121,00	5,6	15,900
121,00	6,3	17,800
121,00	7,1	19,900
121,00	8,0	22,300
121,00	8,8	24,300
121,00	10,0	27,400
121,00	11,0	29,800
121,00	12,5	33,400
121,00	14,2	37,400
121,00	16,0	41,400
121,00	17,5	44,700
121,00	20,0	49,800
121,00	22,2	54,100
121,00	25,0	59,200
121,00	28,0	64,200
121,00	30,0	67,300
121,00	32,0	70,200
121,00	36,0	75,500

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
108,00	10,0	24,200
108,00	11,0	26,300
108,00	12,5	29,400
108,00	14,2	32,800
108,00	16,0	36,300
108,00	17,5	39,100
108,00	20,0	43,400
108,00	22,2	47,000
108,00	25,0	51,200
108,00	28,0	55,200
108,00	30,0	57,700
108,00	32,0	60,000
114,30	4,0	10,900
114,30	4,5	12,200
114,30	5,0	13,500
114,30	5,6	15,000
114,30	6,3	16,800
114,30	7,1	18,800
114,30	8,0	21,000
114,30	8,8	22,900
127,00	40,0	85,800
127,00	45,0	91,000
133,00	4,5	14,300
133,00	5,0	15,800
133,00	5,6	17,600
133,00	6,3	19,700
133,00	7,1	22,000
133,00	8,0	24,700
133,00	8,8	27,000
133,00	10,0	30,300
133,00	11,0	33,100
133,00	12,5	37,100
133,00	14,2	41,600
133,00	16,0	46,200
133,00	17,5	49,800
133,00	20,0	55,700
133,00	22,2	60,700
133,00	25,0	66,600
133,00	28,0	72,500
133,00	30,0	76,200
133,00	32,0	79,700
133,00	36,0	86,100
133,00	40,0	91,700
133,00	45,0	97,700
139,70	4,5	15,000
139,70	5,0	16,600
139,70	5,6	18,500
139,70	6,3	20,700

Durchmesser mm	Wanddicke mm	Gewicht kg / m
127,00	4,5	13,600
127,00	5,0	15,000
127,00	5,6	16,800
127,00	6,3	18,800
127,00	7,1	21,000
127,00	8,0	23,500
127,00	8,8	25,700
127,00	10,0	28,900
127,00	11,0	31,500
127,00	12,5	35,300
127,00	14,2	39,500
127,00	16,0	43,800
127,00	17,5	47,300
127,00	20,0	52,800
127,00	22,2	57,400
127,00	25,0	62,900
127,00	28,0	68,400
127,00	30,0	71,800
127,00	32,0	75,000
127,00	36,0	80,800
146,00	10,0	33,500
146,00	11,0	36,600
146,00	12,5	41,200
146,00	14,2	46,200
146,00	16,0	51,300
146,00	17,5	55,500
146,00	20,0	62,100
146,00	22,2	67,800
146,00	25,0	74,600
146,00	28,0	81,500
146,00	30,0	85,800
146,00	32,0	90,000
146,00	36,0	97,700
152,40	5,0	18,200
152,40	5,6	20,300
152,40	6,3	22,700
152,40	7,1	25,400
152,40	8,0	28,500
152,40	8,8	31,200
152,40	10,0	35,100
152,40	11,0	38,400
152,40	12,5	43,100
152,40	14,2	48,400
152,40	16,0	53,800
152,40	17,5	58,200
152,40	20,0	65,300
152,40	22,2	71,300
152,40	25,0	78,500

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
139,70	7,1	23,200
139,70	8,0	26,000
139,70	8,8	28,400
139,70	10,0	32,000
139,70	11,0	34,900
139,70	12,5	39,200
139,70	14,2	43,900
139,70	16,0	48,800
139,70	17,5	52,700
139,70	20,0	59,000
139,70	22,2	64,300
139,70	25,0	70,700
139,70	28,0	77,100
139,70	30,0	81,200
139,70	32,0	85,000
139,70	36,0	92,100
139,70	40,0	98,400
139,70	45,0	105,000
139,70	50,0	111,000
146,00	5,0	17,400
146,00	5,6	19,400
146,00	6,3	21,700
146,00	7,1	24,300
146,00	8,0	27,200
146,00	8,8	29,800
159,00	36,0	109,000
159,00	40,0	117,000
159,00	45,0	127,000
159,00	50,0	134,000
159,00	55,0	141,000
159,00	60,0	146,000
165,10	5,0	19,700
165,10	5,6	22,000
165,10	6,3	24,700
165,10	7,1	27,700
165,10	8,0	31,000
165,10	8,8	33,900
165,10	10,0	38,200
165,10	11,0	41,800
165,10	12,5	47,000
165,10	14,2	52,800
165,10	16,0	58,800
165,10	17,5	63,700
165,10	20,0	71,600
165,10	22,2	78,200
165,10	25,0	86,400
165,10	28,0	94,700
165,10	30,0	100,000

Durchmesser mm	Wanddicke mm	Gewicht kg / m
152,40	28,0	85,900
152,40	30,0	90,600
152,40	32,0	95,000
152,40	36,0	103,000
152,40	40,0	111,000
152,40	45,0	119,000
152,40	50,0	126,000
159,00	5,0	19,000
159,00	5,6	21,200
159,00	6,3	23,700
159,00	7,1	26,600
159,00	8,0	29,800
159,00	8,8	32,600
159,00	10,0	36,700
159,00	11,0	40,100
159,00	12,5	45,200
159,00	14,2	50,700
159,00	16,0	56,400
159,00	17,5	61,100
159,00	20,0	68,600
159,00	22,2	74,900
159,00	25,0	82,600
159,00	28,0	90,500
159,00	30,0	95,400
159,00	32,0	100,000
168,30	60,0	160,000
171,00	5,6	22,800
171,00	6,3	25,600
171,00	7,1	28,700
171,00	8,0	32,200
171,00	8,8	35,200
171,00	10,0	39,700
171,00	11,0	43,400
171,00	12,5	48,900
171,00	14,2	54,900
171,00	16,0	61,200
171,00	17,5	66,200
171,00	20,0	74,500
171,00	22,2	81,500
171,00	25,0	90,000
171,00	28,0	98,700
171,00	30,0	104,000
171,00	32,0	110,000
171,00	36,0	120,000
171,00	40,0	129,000
171,00	45,0	140,000
171,00	50,0	149,000
177,80	5,6	23,800

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
165,10	32,0	105,000
165,10	36,0	115,000
165,10	40,0	123,000
165,10	45,0	133,000
165,10	50,0	142,000
165,10	55,0	149,000
165,10	60,0	156,000
168,30	5,0	20,100
168,30	5,6	22,500
168,30	6,3	25,200
168,30	7,1	28,200
168,30	8,0	31,600
168,30	8,8	34,600
168,30	10,0	39,000
168,30	11,0	42,700
168,30	12,5	48,000
168,30	14,2	54,000
168,30	16,0	60,100
168,30	17,5	65,100
168,30	20,0	73,100
168,30	22,2	80,000
168,30	25,0	88,300
168,30	28,0	96,900
168,30	30,0	102,000
168,30	32,0	108,000
168,30	36,0	117,000
168,30	40,0	127,000
168,30	45,0	137,000
168,30	50,0	146,000
168,30	55,0	154,000
191,00	16,0	69,100
191,00	17,5	74,900
191,00	20,0	84,300
191,00	22,2	92,400
191,00	25,0	102,000
191,00	28,0	113,000
191,00	30,0	119,000
191,00	32,0	125,000
191,00	36,0	138,000
191,00	40,0	149,000
191,00	45,0	162,000
191,00	50,0	177,000
193,70	6,3	29,100
193,70	7,1	32,700
193,70	8,0	36,600
193,70	8,8	40,100
193,70	10,0	45,300
193,70	11,0	49,600

Durchmesser mm	Wanddicke mm	Gewicht kg / m
177,80	6,3	26,600
177,80	7,1	29,900
177,80	8,0	33,500
177,80	8,8	36,700
177,80	10,0	41,400
177,80	11,0	45,200
177,80	12,5	51,000
177,80	14,2	57,300
177,80	16,0	63,800
177,80	17,5	69,200
177,80	20,0	77,800
177,80	22,2	85,200
177,80	25,0	94,200
177,80	28,0	103,000
177,80	30,0	109,000
177,80	32,0	115,000
177,80	36,0	126,000
177,80	40,0	136,000
177,80	45,0	147,000
177,80	50,0	158,000
177,80	55,0	167,000
177,80	60,0	174,000
191,00	6,3	28,700
191,00	7,1	32,200
191,00	8,0	36,100
191,00	8,8	39,500
191,00	10,0	44,600
191,00	11,0	48,800
191,00	12,5	55,000
191,00	14,2	61,900
203,00	50,0	189,000
216,00	7,1	36,600
216,00	8,0	41,000
216,00	8,8	45,000
216,00	10,0	50,800
216,00	11,0	55,600
216,00	12,5	62,700
216,00	14,2	70,700
216,00	16,0	78,900
216,00	17,5	85,700
216,00	20,0	96,700
216,00	22,2	106,000
216,00	25,0	118,000
216,00	28,0	130,000
216,00	30,0	138,000
216,00	32,0	145,000
216,00	36,0	160,000
216,00	40,0	174,000



## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
193,70	12,5	55,900
193,70	14,2	62,900
193,70	16,0	70,100
193,70	17,5	76,000
193,70	20,0	85,700
193,70	22,2	93,900
193,70	25,0	104,000
193,70	28,0	114,000
193,70	30,0	121,000
193,70	32,0	128,000
193,70	36,0	140,000
193,70	40,0	152,000
193,70	45,0	165,000
193,70	50,0	177,000
193,70	55,0	188,000
193,70	60,0	198,000
203,00	6,3	30,600
203,00	7,1	34,300
203,00	8,0	38,500
203,00	8,8	42,100
203,00	10,0	47,600
203,00	11,0	52,100
203,00	12,5	58,700
203,00	14,2	66,100
203,00	16,0	73,800
203,00	17,5	80,100
203,00	20,0	90,300
203,00	22,2	99,000
203,00	25,0	110,000
203,00	28,0	121,000
203,00	30,0	128,000
203,00	32,0	135,000
203,00	36,0	148,000
203,00	40,0	161,000
203,00	45,0	175,000
229,00	28,0	139,000
229,00	30,0	147,000
229,00	32,0	155,000
229,00	36,0	171,000
229,00	40,0	186,000
229,00	45,0	204,000
229,00	50,0	221,000
229,00	55,0	236,000
229,00	60,0	250,000
241,00	7,1	41,000
241,00	8,0	46,000
241,00	8,8	50,400
241,00	10,0	57,000

Durchmesser mm	Wanddicke mm	Gewicht kg / m
216,00	45,0	190,000
216,00	50,0	205,000
219,10	7,1	37,100
219,10	8,0	41,600
219,10	8,8	45,600
219,10	10,0	51,600
219,10	11,0	56,500
219,10	12,5	63,700
219,10	14,2	71,800
219,10	16,0	80,100
219,10	17,5	87,000
219,10	20,0	98,200
219,10	22,2	108,000
219,10	25,0	120,000
219,10	28,0	132,000
219,10	30,0	140,000
219,10	32,0	148,000
219,10	36,0	163,000
219,10	40,0	177,000
219,10	45,0	193,000
219,10	50,0	209,000
219,10	55,0	223,000
219,10	60,0	235,000
229,00	7,1	38,900
229,00	8,0	43,600
229,00	8,8	47,800
229,00	10,0	54,000
229,00	11,0	59,100
229,00	12,5	66,700
229,00	14,2	75,100
229,00	16,0	84,100
229,00	17,5	91,300
229,00	20,0	103,000
229,00	22,2	113,000
229,00	25,0	126,000
254,00	7,1	43,200
254,00	8,0	48,500
254,00	8,8	53,200
254,00	10,0	60,200
254,00	11,0	65,900
254,00	12,5	74,400
254,00	14,2	84,000
254,00	16,0	93,900
254,00	17,5	102,000
254,00	20,0	115,000
254,00	22,2	127,000
254,00	25,0	141,000
254,00	28,0	156,000

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
241,00	11,0	62,400
241,00	12,5	70,400
241,00	14,2	79,400
241,00	16,0	88,800
241,00	17,5	96,500
241,00	20,0	109,000
241,00	22,2	120,000
241,00	25,0	133,000
241,00	28,0	147,000
241,00	30,0	156,000
241,00	32,0	165,000
241,00	36,0	182,000
241,00	40,0	198,000
241,00	45,0	218,000
241,00	50,0	236,000
241,00	55,0	252,000
241,00	60,0	268,000
244,50	7,1	41,600
244,50	8,0	46,700
244,50	8,8	51,200
244,50	10,0	57,800
244,50	11,0	63,300
244,50	12,5	71,500
244,50	14,2	80,600
244,50	16,0	90,200
244,50	17,5	98,000
244,50	20,0	111,000
244,50	22,2	122,000
244,50	25,0	135,000
244,50	28,0	149,000
244,50	30,0	159,000
244,50	32,0	168,000
244,50	36,0	185,000
244,50	40,0	202,000
244,50	45,0	221,000
244,50	50,0	240,000
244,50	55,0	257,000
244,50	60,0	273,000
244,50	65,0	288,000
244,50	70,0	301,000
273,00	12,5	80,300
273,00	14,2	90,600
273,00	16,0	101,000
273,00	17,5	110,000
273,00	20,0	125,000
273,00	22,2	137,000
273,00	25,0	153,000
273,00	28,0	169,000

Durchmesser mm	Wanddicke mm	Gewicht kg / m
254,00	30,0	166,000
254,00	32,0	175,000
254,00	36,0	194,000
254,00	40,0	211,000
254,00	45,0	232,000
254,00	50,0	252,000
254,00	55,0	270,000
254,00	60,0	287,000
254,00	65,0	303,000
254,00	70,0	318,000
267,00	7,1	45,500
267,00	8,0	51,100
267,00	8,8	56,000
267,00	10,0	63,400
267,00	11,0	69,400
267,00	12,5	78,500
267,00	14,2	88,500
267,00	16,0	99,000
267,00	17,5	108,000
267,00	20,0	122,000
267,00	22,2	134,000
267,00	25,0	149,000
267,00	28,0	165,000
267,00	30,0	175,000
267,00	32,0	185,000
267,00	36,0	205,000
267,00	40,0	224,000
267,00	45,0	246,000
267,00	50,0	268,000
267,00	55,0	288,000
267,00	60,0	306,000
267,00	65,0	324,000
267,00	70,0	340,000
267,00	75,0	355,000
267,00	80,0	369,000
273,00	7,1	46,600
273,00	8,0	52,300
273,00	8,8	57,300
273,00	10,0	64,900
273,00	11,0	71,100
292,00	17,5	118,000
292,00	20,0	134,000
292,00	22,2	148,000
292,00	25,0	165,000
292,00	28,0	182,000
292,00	30,0	194,000
292,00	32,0	205,000
292,00	36,0	227,000

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
273,00	30,0	180,000
273,00	32,0	190,000
273,00	36,0	210,000
273,00	40,0	230,000
273,00	45,0	253,000
273,00	50,0	275,000
273,00	55,0	296,000
273,00	60,0	315,000
273,00	65,0	333,000
273,00	70,0	350,000
273,00	75,0	366,000
273,00	80,0	381,000
273,00	85,0	394,000
279,00	8,0	53,500
279,00	8,8	58,600
279,00	10,0	66,000
279,00	11,0	72,700
279,00	12,5	82,200
279,00	14,2	92,700
279,00	16,0	104,000
279,00	17,5	113,000
279,00	20,0	128,000
279,00	22,2	141,000
279,00	25,0	157,000
279,00	28,0	173,000
279,00	30,0	184,000
279,00	32,0	195,000
279,00	36,0	216,000
279,00	40,0	236,000
279,00	45,0	260,000
279,00	50,0	282,000
279,00	55,0	304,000
279,00	60,0	324,000
279,00	65,0	343,000
279,00	70,0	361,000
279,00	75,0	377,000
279,00	80,0	393,000
279,00	85,0	407,000
292,00	8,0	56,000
292,00	8,8	61,500
292,00	10,0	69,500
292,00	11,0	76,200
292,00	12,5	86,200
292,00	14,2	97,300
292,00	16,0	109,000
305,00	22,2	155,000
305,00	25,0	173,000
305,00	28,0	191,000

Durchmesser mm	Wanddicke mm	Gewicht kg / m
292,00	40,0	249,000
292,00	45,0	274,000
292,00	50,0	298,000
292,00	55,0	321,000
292,00	60,0	343,000
292,00	65,0	364,000
292,00	70,0	383,000
292,00	75,0	401,000
292,00	80,0	418,000
292,00	85,0	434,000
298,50	8,0	57,300
298,50	8,8	62,900
298,50	10,0	71,100
298,50	11,0	78,000
298,50	12,5	88,200
298,50	14,2	99,600
298,50	16,0	111,000
298,50	17,5	121,000
298,50	20,0	137,000
298,50	22,2	151,000
298,50	25,0	169,000
298,50	28,0	187,000
298,50	30,0	199,000
298,50	32,0	210,000
298,50	36,0	233,000
298,50	40,0	255,000
298,50	45,0	281,000
298,50	50,0	306,000
298,50	55,0	330,000
298,50	60,0	353,000
298,50	65,0	374,000
298,50	70,0	394,000
298,50	75,0	413,000
298,50	80,0	431,000
298,50	85,0	448,000
298,50	90,0	463,000
305,00	8,0	58,600
305,00	8,8	64,300
305,00	10,0	72,800
305,00	11,0	79,800
305,00	12,5	90,200
305,00	14,2	102,000
305,00	16,0	114,000
305,00	17,5	124,000
305,00	20,0	141,000
323,90	25,0	184,000
323,90	28,0	204,000
323,90	30,0	217,000

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
305,00	30,0	204,000
305,00	32,0	215,000
305,00	36,0	239,000
305,00	40,0	261,000
305,00	45,0	289,000
305,00	50,0	314,000
305,00	55,0	339,000
305,00	60,0	363,000
305,00	65,0	385,000
305,00	70,0	406,000
305,00	75,0	425,000
305,00	80,0	444,000
305,00	85,0	461,000
305,00	90,0	477,000
318,00	8,0	61,200
318,00	8,8	67,100
318,00	10,0	76,000
318,00	11,0	83,300
318,00	12,5	94,200
318,00	14,2	106,000
318,00	16,0	119,000
318,00	17,5	130,000
318,00	20,0	147,000
318,00	22,2	162,000
318,00	25,0	181,000
318,00	28,0	200,000
318,00	30,0	213,000
318,00	32,0	226,000
318,00	36,0	250,000
318,00	40,0	274,000
318,00	45,0	303,000
318,00	50,0	330,000
318,00	55,0	357,000
318,00	60,0	382,000
318,00	65,0	406,000
318,00	70,0	428,000
318,00	75,0	449,000
318,00	80,0	470,000
318,00	85,0	488,000
318,00	90,0	506,000
323,90	8,0	62,300
323,90	8,8	68,400
323,90	10,0	77,400
323,90	11,0	84,900
323,90	12,5	96,000
323,90	14,2	108,000
323,90	16,0	121,000
323,90	17,5	132,000

Durchmesser mm	Wanddicke mm	Gewicht kg / m
323,90	32,0	230,000
323,90	36,0	256,000
323,90	40,0	280,000
323,90	45,0	310,000
323,90	50,0	338,000
323,90	55,0	365,000
323,90	60,0	390,000
323,90	65,0	415,000
323,90	70,0	438,000
323,90	75,0	460,000
323,90	80,0	481,000
323,90	85,0	501,000
323,90	90,0	519,000
323,90	100,0	552,000
330,00	12,5	97,900
330,00	14,2	111,000
330,00	16,0	124,000
330,00	17,5	135,000
330,00	20,0	153,000
330,00	22,2	169,000
330,00	25,0	188,000
330,00	28,0	209,000
330,00	30,0	222,000
330,00	32,0	235,000
330,00	36,0	261,000
330,00	40,0	286,000
330,00	45,0	316,000
330,00	50,0	345,000
330,00	55,0	373,000
330,00	60,0	399,000
330,00	65,0	425,000
330,00	70,0	449,000
330,00	75,0	472,000
330,00	80,0	493,000
330,00	85,0	514,000
330,00	90,0	533,000
343,00	8,8	72,500
343,00	10,0	82,100
343,00	11,0	90,100
343,00	12,5	102,000
343,00	14,2	115,000
343,00	16,0	129,000
343,00	17,5	140,000
343,00	20,0	159,000
343,00	22,2	176,000
343,00	25,0	196,000
343,00	28,0	218,000
343,00	30,0	232,000

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
323,90	20,0	150,000
323,90	22,2	165,000
343,00	40,0	299,000
343,00	45,0	331,000
343,00	50,0	361,000
343,00	55,0	391,000
343,00	60,0	419,000
343,00	65,0	446,000
343,00	70,0	471,000
343,00	75,0	496,000
343,00	80,0	519,000
343,00	85,0	541,000
343,00	90,0	562,000
355,60	8,8	75,300
355,60	10,0	85,200
355,60	11,0	93,500
355,60	12,5	106,000
355,60	14,2	120,000
355,60	16,0	134,000
355,60	17,5	146,000
355,60	20,0	166,000
355,60	22,2	183,000
355,60	25,0	204,000
355,60	28,0	226,000
355,60	30,0	241,000
355,60	32,0	255,000
355,60	36,0	284,000
355,60	40,0	311,000
355,60	45,0	345,000
355,60	50,0	377,000
355,60	55,0	408,000
355,60	60,0	437,000
355,60	65,0	466,000
355,60	70,0	493,000
355,60	75,0	519,000
355,60	80,0	544,000
355,60	85,0	567,000
355,60	90,0	590,000
355,60	100,0	630,000
368,00	8,8	78,000
368,00	10,0	88,300
368,00	11,0	96,800
368,00	12,5	110,000
368,00	14,2	124,000
368,00	16,0	139,000
368,00	17,5	151,000
368,00	20,0	172,000
368,00	22,2	189,000

Durchmesser mm	Wanddicke mm	Gewicht kg / m
343,00	32,0	245,000
343,00	36,0	273,000
368,00	50,0	392,000
368,00	55,0	425,000
368,00	60,0	456,000
368,00	65,0	486,000
368,00	70,0	514,000
368,00	75,0	542,000
368,00	80,0	568,000
368,00	85,0	593,000
368,00	90,0	617,000
368,00	100,0	661,000
394,00	10,0	94,700
394,00	11,0	104,000
394,00	12,5	118,000
394,00	14,2	133,000
394,00	16,0	149,000
394,00	17,5	162,000
394,00	20,0	184,000
394,00	22,2	204,000
394,00	25,0	228,000
394,00	28,0	253,000
394,00	30,0	269,000
394,00	32,0	286,000
394,00	36,0	318,000
394,00	40,0	349,000
394,00	45,0	387,000
394,00	50,0	424,000
394,00	55,0	460,000
394,00	60,0	494,000
394,00	65,0	527,000
394,00	70,0	559,000
394,00	75,0	590,000
394,00	80,0	619,000
394,00	85,0	648,000
394,00	90,0	675,000
394,00	100,0	725,000
406,40	10,0	97,800
406,40	11,0	107,000
406,40	12,5	121,000
406,40	14,2	137,000
406,40	16,0	154,000
406,40	17,5	168,000
406,40	20,0	191,000
406,40	22,2	210,000
406,40	25,0	235,000
406,40	28,0	261,000
406,40	30,0	278,000

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
368,00	25,0	211,000
368,00	28,0	235,000
368,00	30,0	250,000
368,00	32,0	265,000
368,00	36,0	295,000
368,00	40,0	324,000
368,00	45,0	358,000
406,40	65,0	547,000
406,40	70,0	581,000
406,40	75,0	613,000
406,40	80,0	644,000
406,40	85,0	674,000
406,40	90,0	702,000
406,40	100,0	756,000
419,00	11,0	111,000
419,00	12,5	125,000
419,00	14,2	142,000
419,00	16,0	159,000
419,00	17,5	173,000
419,00	20,0	197,000
419,00	22,2	217,000
419,00	25,0	243,000
419,00	28,0	270,000
419,00	30,0	288,000
419,00	32,0	305,000
419,00	36,0	340,000
419,00	40,0	374,000
419,00	45,0	415,000
419,00	50,0	455,000
419,00	55,0	494,000
419,00	60,0	531,000
419,00	65,0	567,000
419,00	70,0	602,000
419,00	75,0	636,000
419,00	80,0	669,000
419,00	85,0	700,000
419,00	90,0	730,000
419,00	100,0	787,000
445,00	11,0	118,000
445,00	12,5	133,000
445,00	14,2	151,000
445,00	16,0	169,000
445,00	17,5	184,000
445,00	20,0	210,000
445,00	22,2	231,000
445,00	25,0	259,000
445,00	28,0	288,000
445,00	30,0	307,000

Durchmesser mm	Wanddicke mm	Gewicht kg / m
406,40	32,0	295,000
406,40	36,0	329,000
406,40	40,0	361,000
406,40	45,0	401,000
406,40	50,0	439,000
406,40	55,0	477,000
406,40	60,0	513,000
445,00	90,0	788,000
445,00	100,0	851,000
457,00	11,0	121,000
457,00	12,5	137,000
457,00	14,2	155,000
457,00	16,0	174,000
457,00	17,5	190,000
457,00	20,0	216,000
457,00	22,2	238,000
457,00	25,0	266,000
457,00	28,0	296,000
457,00	30,0	316,000
457,00	32,0	335,000
457,00	36,0	374,000
457,00	40,0	411,000
457,00	45,0	457,000
457,00	50,0	502,000
457,00	55,0	545,000
457,00	60,0	587,000
457,00	65,0	628,000
457,00	70,0	668,000
457,00	75,0	707,000
457,00	80,0	744,000
457,00	85,0	780,000
457,00	90,0	815,000
457,00	100,0	880,000
470,00	12,5	141,000
470,00	14,2	160,000
470,00	16,0	179,000
470,00	17,5	195,000
470,00	20,0	222,000
470,00	22,2	245,000
470,00	25,0	274,000
470,00	28,0	305,000
470,00	30,0	326,000
470,00	32,0	346,000
470,00	36,0	385,000
470,00	40,0	424,000
470,00	45,0	472,000
470,00	50,0	518,000
470,00	55,0	563,000

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
445,00	32,0	326,000
445,00	36,0	363,000
445,00	40,0	400,000
445,00	45,0	444,000
445,00	50,0	487,000
445,00	55,0	529,000
445,00	60,0	570,000
445,00	65,0	609,000
445,00	70,0	647,000
445,00	75,0	684,000
445,00	80,0	720,000
445,00	85,0	755,000
495,00	20,0	234,000
495,00	22,2	259,000
495,00	25,0	290,000
495,00	28,0	322,000
495,00	30,0	344,000
495,00	32,0	365,000
495,00	36,0	408,000
495,00	40,0	449,000
495,00	45,0	499,000
495,00	50,0	549,000
495,00	55,0	597,000
495,00	60,0	644,000
495,00	65,0	689,000
495,00	70,0	734,000
495,00	75,0	777,000
495,00	80,0	819,000
495,00	85,0	859,000
495,00	90,0	899,000
495,00	100,0	974,000
508,00	12,5	153,000
508,00	14,2	173,000
508,00	16,0	194,000
508,00	17,5	212,000
508,00	20,0	241,000
508,00	22,2	266,000
508,00	25,0	298,000
508,00	28,0	331,000
508,00	30,0	354,000
508,00	32,0	376,000
508,00	36,0	419,000
508,00	40,0	462,000
508,00	45,0	514,000
508,00	50,0	565,000
508,00	55,0	614,000
508,00	60,0	663,000
508,00	65,0	710,000

Durchmesser mm	Wanddicke mm	Gewicht kg / m
470,00	60,0	607,000
470,00	65,0	649,000
470,00	70,0	691,000
470,00	75,0	731,000
470,00	80,0	769,000
470,00	85,0	807,000
470,00	90,0	843,000
470,00	100,0	912,000
495,00	12,5	149,000
495,00	14,2	168,000
495,00	16,0	189,000
495,00	17,5	206,000
521,00	40,0	474,000
521,00	45,0	528,000
521,00	50,0	581,000
521,00	55,0	632,000
521,00	60,0	682,000
521,00	65,0	731,000
521,00	70,0	779,000
521,00	75,0	825,000
521,00	80,0	870,000
521,00	85,0	914,000
521,00	90,0	957,000
521,00	100,0	1038,000
546,00	14,2	186,000
546,00	16,0	209,000
546,00	17,5	228,000
546,00	20,0	259,000
546,00	22,2	287,000
546,00	25,0	321,000
546,00	28,0	358,000
546,00	30,0	382,000
546,00	32,0	406,000
546,00	36,0	453,000
546,00	40,0	499,000
546,00	45,0	556,000
546,00	50,0	612,000
546,00	55,0	666,000
546,00	60,0	719,000
546,00	65,0	771,000
546,00	70,0	822,000
546,00	75,0	871,000
546,00	80,0	919,000
546,00	85,0	966,000
546,00	90,0	1012,000
546,00	100,0	1100,000
559,00	14,2	191,000
559,00	16,0	214,000

## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
508,00	70,0	756,000
508,00	75,0	801,000
508,00	80,0	844,000
508,00	85,0	887,000
508,00	90,0	928,000
508,00	100,0	1006,000
521,00	12,5	157,000
521,00	14,2	177,000
521,00	16,0	199,000
521,00	17,5	217,000
521,00	20,0	247,000
521,00	22,2	273,000
521,00	25,0	306,000
521,00	28,0	340,000
521,00	30,0	363,000
521,00	32,0	386,000
521,00	36,0	431,000
559,00	85,0	994,000
559,00	90,0	1041,000
559,00	100,0	1132,000
572,00	14,2	195,000
572,00	16,0	219,000
572,00	17,5	239,000
572,00	20,0	272,000
572,00	22,2	301,000
572,00	25,0	337,000
572,00	28,0	376,000
572,00	30,0	401,000
572,00	32,0	426,000
572,00	36,0	476,000
572,00	40,0	525,000
572,00	45,0	585,000
572,00	50,0	644,000
572,00	55,0	701,000
572,00	60,0	758,000
572,00	65,0	813,000
572,00	70,0	867,000
572,00	75,0	919,000
572,00	80,0	971,000
572,00	85,0	1021,000
572,00	90,0	1070,000
572,00	100,0	1164,000
610,00	14,2	209,000
610,00	16,0	234,000
610,00	17,5	256,000
610,00	20,0	291,000
610,00	22,2	322,000
610,00	25,0	361,000

Durchmesser mm	Wanddicke mm	Gewicht kg / m
559,00	17,5	234,000
559,00	20,0	266,000
559,00	22,2	294,000
559,00	25,0	329,000
559,00	28,0	367,000
559,00	30,0	391,000
559,00	32,0	416,000
559,00	36,0	464,000
559,00	40,0	512,000
559,00	45,0	570,000
559,00	50,0	628,000
559,00	55,0	684,000
559,00	60,0	738,000
559,00	65,0	792,000
559,00	70,0	844,000
559,00	75,0	895,000
559,00	80,0	945,000
622,00	28,0	410,000
622,00	30,0	438,000
622,00	32,0	466,000
622,00	36,0	520,000
622,00	40,0	574,000
622,00	45,0	640,000
622,00	50,0	705,000
622,00	55,0	769,000
622,00	60,0	832,000
622,00	65,0	893,000
622,00	70,0	953,000
622,00	75,0	1012,000
622,00	80,0	1069,000
622,00	85,0	1126,000
622,00	90,0	1181,000
622,00	100,0	1287,000
660,00	20,0	316,000
660,00	22,2	349,000
660,00	25,0	392,000
660,00	28,0	436,000
660,00	30,0	466,000
660,00	32,0	496,000
660,00	36,0	554,000
660,00	40,0	612,000
660,00	45,0	683,000
660,00	50,0	752,000
660,00	55,0	821,000
660,00	60,0	888,000
660,00	65,0	954,000
660,00	70,0	1019,000
660,00	75,0	1082,000



## Nahtlose dickwandige Stahlrohre

Durchmesser mm	Wanddicke mm	Gewicht kg / m
610,00	28,0	402,000
610,00	30,0	429,000
610,00	32,0	456,000
610,00	36,0	510,000
610,00	40,0	562,000
610,00	45,0	627,000
610,00	50,0	691,000
610,00	55,0	753,000
610,00	60,0	814,000
610,00	65,0	874,000
610,00	70,0	932,000
610,00	75,0	990,000
610,00	80,0	1046,000
610,00	85,0	1101,000
610,00	90,0	1154,000
610,00	100,0	1258,000
622,00	14,2	213,000
622,00	16,0	239,000
622,00	17,5	261,000
622,00	20,0	297,000
622,00	22,2	328,000
622,00	25,0	368,000

Durchmesser mm	Wanddicke mm	Gewicht kg / m
660,00	80,0	1144,000
660,00	85,0	1205,000
660,00	90,0	1265,000
660,00	100,0	1381,000